Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	13-19	Count		1	1
Diagnosis		% within Sex		14.3%	6.3%
	20-24	Count	2		2
		% within Sex	22.2%		12.5%
	25-29	Count	3	2	5
		% within Sex	33.3%	28.6%	31.3%
	30-39	Count	4	4	8
		% within Sex	44.4%	57.1%	50.0%
Total		Count	9	7	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	Hispanic	Count	9	7	16
		% within Sex	100.0%	100.0%	100.0%
Total		Count	9	7	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7		7
Exposure		% within Sex	77.8%		43.8%
	IDU	Count	1	1	2
		% within Sex	11.1%	14.3%	12.5%
	Heterosexual Contact	Count		6	6
		% within Sex		85.7%	37.5%
	Not Classified	Count	1		1
		% within Sex	11.1%		6.3%
Total		Count	9	7	16
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	Hispanic	Count	16	16
		% within Adult-Ped	100.0%	100.0%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	9	9
		% within Adult-Ped	56.3%	56.3%
	Female	Count	7	7
		% within Adult-Ped	43.8%	43.8%
Total		Count	16	16
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2	1	3
Diagnosis		% within Sex	15.4%	9.1%	12.5%
	20-24	Count		2	2
		% within Sex		18.2%	8.3%
	25-29	Count	4	3	7
		% within Sex	30.8%	27.3%	29.2%
	30-39	Count	3	4	7
		% within Sex	23.1%	36.4%	29.2%
	40-49	Count	3	1	4
		% within Sex	23.1%	9.1%	16.7%
	50-59	Count	1		1
		% within Sex	7.7%		4.2%
Total		Count	13	11	24
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1	2	3
		% within Sex	7.7%	18.2%	12.5%
	Hispanic	Count	12	9	21
		% within Sex	92.3%	81.8%	87.5%
Total		Count	13	11	24
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	5		5
Exposure		% within Sex	38.5%		20.8%
	IDU	Count		1	1
		% within Sex		9.1%	4.2%
	Heterosexual Contact	Count	2	4	6
		% within Sex	15.4%	36.4%	25.0%
	Not Classified	Count	6	6	12
		% within Sex	46.2%	54.5%	50.0%
Total		Count	13	11	24
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	3
		% within Adult-Ped	12.5%	12.5%
	Hispanic	Count	21	21
		% within Adult-Ped	87.5%	87.5%
Total		Count	24	24
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	13	13
		% within Adult-Ped	54.2%	54.2%
	Female	Count	11	11
		% within Adult-Ped	45.8%	45.8%
Total		Count	24	24
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	1.8%		1.1%
	5-12	Count	1		1
		% within Sex	1.8%		1.1%
	13-19	Count	2	2	4
		% within Sex	3.6%	6.1%	4.5%
	20-24	Count	7	10	17
		% within Sex	12.5%	30.3%	19.1%
	25-29	Count	16	5	21
		% within Sex	28.6%	15.2%	23.6%
	30-39	Count	18	12	30
		% within Sex	32.1%	36.4%	33.7%
	40-49	Count	6	2	8
		% within Sex	10.7%	6.1%	9.0%
	50-59	Count	4	2	6
		% within Sex	7.1%	6.1%	6.7%
	70+	Count	1		1
		% within Sex	1.8%		1.1%
Total		Count	56	33	89
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	3	2	5
		% within Sex	5.4%	6.1%	5.6%
	African American	Count		2	2
		% within Sex		6.1%	2.2%
	Hispanic	Count	53	29	82
		% within Sex	94.6%	87.9%	92.1%
Total		Count	56	33	89
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24		24
Exposure		% within Sex	42.9%		27.0%
	IDU	Count	10	5	15
		% within Sex	17.9%	15.2%	16.9%
	Heterosexual Contact	Count	4	20	24
		% within Sex	7.1%	60.6%	27.0%
	Not Classified	Count	16	8	24
		% within Sex	28.6%	24.2%	27.0%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.8%		1.1%
	Ped Other-Undet	Count	1		1
		% within Sex	1.8%		1.1%
Total		Count	56	33	89
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count		5	5
		% within Adult-Ped		5.7%	5.6%
	African American	Count		2	2
		% within Adult-Ped		2.3%	2.2%
	Hispanic	Count	2	80	82
		% within Adult-Ped	100.0%	92.0%	92.1%
Total		Count	2	87	89
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult		
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	2	54	56
		% within Adult-Ped	100.0%	62.1%	62.9%
	Female	Count		33	33
		% within Adult-Ped		37.9%	37.1%
Total		Count	2	87	89
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	1.9%		1.2%
	5-12	Count	1		1
		% within Sex	1.9%		1.2%
	13-19	Count	2	2	4
		% within Sex	3.7%	6.3%	4.7%
	20-24	Count	7	10	17
		% within Sex	13.0%	31.3%	19.8%
	25-29	Count	16	5	21
		% within Sex	29.6%	15.6%	24.4%
	30-39	Count	17	12	29
		% within Sex	31.5%	37.5%	33.7%
	40-49	Count	6	1	7
		% within Sex	11.1%	3.1%	8.1%
	50-59	Count	3	2	5
		% within Sex	5.6%	6.3%	5.8%
	70+	Count	1		1
		% within Sex	1.9%		1.2%
Total		Count	54	32	86
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	2		2
Age		% within Sex	3.7%		2.3%
	13-19	Count		1	1
		% within Sex		3.1%	1.2%
	20-24	Count	6	4	10
		% within Sex	11.1%	12.5%	11.6%
	25-29	Count	6	7	13
		% within Sex	11.1%	21.9%	15.1%
	30-39	Count	23	14	37
		% within Sex	42.6%	43.8%	43.0%
	40-49	Count	12	4	16
		% within Sex	22.2%	12.5%	18.6%
	50-59	Count	4	2	6
		% within Sex	7.4%	6.3%	7.0%
	70+	Count	1		1
		% within Sex	1.9%		1.2%
Total		Count	54	32	86
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	3	2	5
		% within Sex	5.6%	6.3%	5.8%
	African American	Count		2	2
		% within Sex		6.3%	2.3%
	Hispanic	Count	51	28	79
		% within Sex	94.4%	87.5%	91.9%
Total		Count	54	32	86
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24		24
Exposure		% within Sex	44.4%		27.9%
	IDU	Count	9	4	13
		% within Sex	16.7%	12.5%	15.1%
	Heterosexual Contact	Count	4	20	24
		% within Sex	7.4%	62.5%	27.9%
	Not Classified	Count	15	8	23
		% within Sex	27.8%	25.0%	26.7%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.9%		1.2%
	Ped Other-Undet	Count	1		1
		% within Sex	1.9%		1.2%
Total		Count	54	32	86
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count		5	5
		% within Adult-Ped		6.0%	5.8%
	African American	Count		2	2
		% within Adult-Ped		2.4%	2.3%
	Hispanic	Count	2	77	79
		% within Adult-Ped	100.0%	91.7%	91.9%
Total		Count	2	84	86
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult		
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	2	52	54
		% within Adult-Ped	100.0%	61.9%	62.8%
	Female	Count		32	32
		% within Adult-Ped		38.1%	37.2%
Total		Count	2	84	86
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	25-29	Count	6	1	7
Diagnosis		% within Sex	27.3%	20.0%	25.9%
	30-39	Count	8	2	10
		% within Sex	36.4%	40.0%	37.0%
	40-49	Count	8	1	9
		% within Sex	36.4%	20.0%	33.3%
	60-69	Count		1	1
		% within Sex		20.0%	3.7%
Total	•	Count	22	5	27
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	African American	Count	1		1
		% within Sex	4.5%		3.7%
	Hispanic	Count	21	5	26
		% within Sex	95.5%	100.0%	96.3%
Total		Count	22	5	27
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	8		8
Exposure		% within Sex	36.4%		29.6%
	IDU	Count	1		1
		% within Sex	4.5%		3.7%
	M-M & IDU	Count	1		1
		% within Sex	4.5%		3.7%
	Heterosexual Contact	Count	2	2	4
		% within Sex	9.1%	40.0%	14.8%
	Not Classified	Count	10	3	13
		% within Sex	45.5%	60.0%	48.1%
Total		Count	22	5	27
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	African American	Count	1	1
		% within Adult-Ped	3.7%	3.7%
	Hispanic	Count	26	26
		% within Adult-Ped	96.3%	96.3%
Total	-	Count	27	27
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	22	22
		% within Adult-Ped	81.5%	81.5%
	Female	Count	5	5
		% within Adult-Ped	18.5%	18.5%
Total		Count	27	27
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulationa

			Sex		
			Male	Female	Total
Age at	25-29	Count	3		3
Diagnosis		% within Sex	27.3%		23.1%
	30-39	Count	6	1	7
		% within Sex	54.5%	50.0%	53.8%
	40-49	Count	1		1
		% within Sex	9.1%		7.7%
	50-59	Count	1	1	2
		% within Sex	9.1%	50.0%	15.4%
Total		Count	11	2	13
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1	1	2
		% within Sex	9.1%	50.0%	15.4%
	African American	Count	1		1
		% within Sex	9.1%		7.7%
	Hispanic	Count	9	1	10
		% within Sex	81.8%	50.0%	76.9%
Total		Count	11	2	13
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4		4
Exposure		% within Sex	36.4%		30.8%
	IDU	Count	4		4
		% within Sex	36.4%		30.8%
	M-M & IDU	Count	1		1
		% within Sex	9.1%		7.7%
	Heterosexual Contact	Count		1	1
		% within Sex		50.0%	7.7%
	Not Classified	Count	2	1	3
		% within Sex	18.2%	50.0%	23.1%
Total		Count	11	2	13
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	2
		% within Adult-Ped	15.4%	15.4%
	African American	Count	1	1
		% within Adult-Ped	7.7%	7.7%
	Hispanic	Count	10	10
		% within Adult-Ped	76.9%	76.9%
Total		Count	13	13
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	11	11
		% within Adult-Ped	84.6%	84.6%
	Female	Count	2	2
		% within Adult-Ped	15.4%	15.4%
Total		Count	13	13
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	4		4
Diagnosis		% within Sex	1.6%		1.4%
	20-24	Count	10	4	14
		% within Sex	4.1%	11.4%	5.0%
	25-29	Count	52	8	60
		% within Sex	21.2%	22.9%	21.4%
	30-39	Count	106	10	116
		% within Sex	43.3%	28.6%	41.4%
	40-49	Count	53	9	62
		% within Sex	21.6%	25.7%	22.1%
	50-59	Count	16	3	19
		% within Sex	6.5%	8.6%	6.8%
	60-69	Count	3	1	4
		% within Sex	1.2%	2.9%	1.4%
	70+	Count	1		1
		% within Sex	.4%		.4%
Total		Count	245	35	280
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	13	2	15
		% within Sex	5.3%	5.7%	5.4%
	African American	Count	4		4
		% within Sex	1.6%		1.4%
	Hispanic	Count	228	33	261
		% within Sex	93.1%	94.3%	93.2%
Total		Count	245	35	280
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	141		141
Exposure		% within Sex	57.6%		50.4%
	IDU	Count	34	6	40
		% within Sex	13.9%	17.1%	14.3%
	M-M & IDU	Count	16		16
		% within Sex	6.5%		5.7%
	Hemophiliac	Count	4		4
		% within Sex	1.6%		1.4%
	Heterosexual Contact	Count	8	22	30
		% within Sex	3.3%	62.9%	10.7%
	Transfusion	Count	2		2
		% within Sex	.8%		.7%
	Not Classified	Count	40	7	47
		% within Sex	16.3%	20.0%	16.8%
Total		Count	245	35	280
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	15	15
		% within Adult-Ped	5.4%	5.4%
	African American	Count	4	4
		% within Adult-Ped	1.4%	1.4%
	Hispanic	Count	261	261
		% within Adult-Ped	93.2%	93.2%
Total		Count	280	280
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	245	245
		% within Adult-Ped	87.5%	87.5%
	Female	Count	35	35
		% within Adult-Ped	12.5%	12.5%
Total		Count	280	280
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1		1
Diagnosis		% within Sex	.8%		.7%
	20-24	Count	4	1	5
		% within Sex	3.3%	4.8%	3.5%
	25-29	Count	27	8	35
		% within Sex	22.0%	38.1%	24.3%
	30-39	Count	55	6	61
		% within Sex	44.7%	28.6%	42.4%
	40-49	Count	28	4	32
		% within Sex	22.8%	19.0%	22.2%
	50-59	Count	7	1	8
		% within Sex	5.7%	4.8%	5.6%
	60-69	Count	1	1	2
		% within Sex	.8%	4.8%	1.4%
Total		Count	123	21	144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Current Age * Sex Crosstabulation^a

			Se	эх	
			Male	Female	Total
Current	25-29	Count	8	3	11
Age		% within Sex	6.5%	14.3%	7.6%
	30-39	Count	50	10	60
		% within Sex	40.7%	47.6%	41.7%
	40-49	Count	46	6	52
		% within Sex	37.4%	28.6%	36.1%
	50-59	Count	16	1	17
		% within Sex	13.0%	4.8%	11.8%
	60-69	Count	3	1	4
		% within Sex	2.4%	4.8%	2.8%
Total		Count	123	21	144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	8	2	10
		% within Sex	6.5%	9.5%	6.9%
	African American	Count	3		3
		% within Sex	2.4%		2.1%
	Hispanic	Count	112	19	131
		% within Sex	91.1%	90.5%	91.0%
Total		Count	123	21	144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	69		69
Exposure		% within Sex	56.1%		47.9%
	IDU	Count	14	4	18
		% within Sex	11.4%	19.0%	12.5%
	M-M & IDU	Count	9		9
		% within Sex	7.3%		6.3%
	Hemophiliac	Count	1		1
		% within Sex	.8%		.7%
	Heterosexual Contact	Count	8	11	19
		% within Sex	6.5%	52.4%	13.2%
	Transfusion	Count	2		2
		% within Sex	1.6%		1.4%
	Not Classified	Count	20	6	26
		% within Sex	16.3%	28.6%	18.1%
Total		Count	123	21	144
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	6.9%	6.9%
	African American	Count	3	3
		% within Adult-Ped	2.1%	2.1%
	Hispanic	Count	131	131
		% within Adult-Ped	91.0%	91.0%
Total		Count	144	144
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	123	123
		% within Adult-Ped	85.4%	85.4%
	Female	Count	21	21
		% within Adult-Ped	14.6%	14.6%
Total		Count	144	144
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Laredo

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	.6%		.4%
	5-12	Count	1		1
		% within Sex	.6%		.4%
	13-19	Count	3	2	5
		% within Sex	1.7%	3.8%	2.2%
	20-24	Count	11	11	22
		% within Sex	6.2%	20.8%	9.6%
	25-29	Count	43	13	56
		% within Sex	24.3%	24.5%	24.3%
	30-39	Count	72	18	90
		% within Sex	40.7%	34.0%	39.1%
	40-49	Count	34	5	39
		% within Sex	19.2%	9.4%	17.0%
	50-59	Count	10	3	13
		% within Sex	5.6%	5.7%	5.7%
	60-69	Count	1	1	2
		% within Sex	.6%	1.9%	.9%
	70+	Count	1		1
		% within Sex	.6%		.4%
Total		Count	177	53	230
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	2		2
Age		% within Sex	1.1%		.9%
	13-19	Count		1	1
		% within Sex		1.9%	.4%
	20-24	Count	6	4	10
		% within Sex	3.4%	7.5%	4.3%
	25-29	Count	14	10	24
		% within Sex	7.9%	18.9%	10.4%
	30-39	Count	73	24	97
		% within Sex	41.2%	45.3%	42.2%
	40-49	Count	58	10	68
		% within Sex	32.8%	18.9%	29.6%
	50-59	Count	20	3	23
		% within Sex	11.3%	5.7%	10.0%
	60-69	Count	3	1	4
		% within Sex	1.7%	1.9%	1.7%
	70+	Count	1		1
		% within Sex	.6%		.4%
Total		Count	177	53	230
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	11	4	15
		% within Sex	6.2%	7.5%	6.5%
	African American	Count	3	2	5
		% within Sex	1.7%	3.8%	2.2%
	Hispanic	Count	163	47	210
		% within Sex	92.1%	88.7%	91.3%
Total		Count	177	53	230
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	93		93
Exposure		% within Sex	52.5%		40.4%
	IDU	Count	23	8	31
		% within Sex	13.0%	15.1%	13.5%
	M-M & IDU	Count	9		9
		% within Sex	5.1%		3.9%
	Hemophiliac	Count	1		1
		% within Sex	.6%		.4%
	Heterosexual Contact	Count	12	31	43
		% within Sex	6.8%	58.5%	18.7%
	Transfusion	Count	2		2
		% within Sex	1.1%		.9%
	Not Classified	Count	35	14	49
		% within Sex	19.8%	26.4%	21.3%
	Ped Parent at Risk	Count	1		1
		% within Sex	.6%		.4%
	Ped Other-Undet	Count	1	_	1
		% within Sex	.6%		.4%
Total		Count	177	53	230
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Laredo

			Adult	-Ped	
			.	Adult/Adol	.
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		15	15
		% within Adult-Ped		6.6%	6.5%
	African American	Count		5	5
		% within Adult-Ped		2.2%	2.2%
	Hispanic	Count	2	208	210
		% within Adult-Ped	100.0%	91.2%	91.3%
Total		Count	2	228	230
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	175	177
		% within Adult-Ped	100.0%	76.8%	77.0%
	Female	Count		53	53
		% within Adult-Ped		23.2%	23.0%
Total		Count	2	228	230
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Laredo